

Quotation

RED VEST SUPPLY
604 Jett Street
West Portsmouth, OH 45663
Phone (740) 357-7371



DATE 01/28/25
Quotation # ARFQ-0608-
DCR2500000069-1
Customer ID STWV

Quotation For:
STATE OF WEST
VIRGINIA

Quotation valid until: 02-28-2025

Comments or Special Instructions:

SALESPERSON	P.O. NUMBER	LEAD TIME	SHIP VIA	F.O.B. POINT	TERMS
Ashley Frazier	PO-0000123	6 - 8 WEEKS			Net 30 Days

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1	REACH-IN HEATED CABINET Victory Refrigeration Model No. VEHSA-2D-SD 52" W X 84.5" H X 33.88" D Victory Elite™ Warming Cabinet, Powered by V-Core™, Reach-in, two-section, 45.04 cu. ft. capacity, (2) full height solid hinged doors, (6) epoxy coated shelves, standard depth cabinet, Externally Mounted Blower Maintains Even Temperatures ,exterior digital thermometer - Adjustable Electronic Temp Control From 80°F To 180°F, Proximity Door Switch Activates Interior Incandescent Lighting , Heavy-Duty Cylinder Locks, stainless steel front with gray painted galvanized sides, corrosion resistant aluminum interior, UL, UL EPH Classified, 8' Cord And Plug Door hinging: left door hinged left, right door hinged right, standard ; 6" Casters, standard Made in USA - 7 years parts & labor warranty (excludes maintenance items) 1ea 208v/60/1-ph, 11.3 amps, cord with NEMA 6-20P	\$ 6,527.47	\$ 6,527.47

SUBTOTAL	\$ 6,527.47
TAX RATE	0.00%
SALES TAX	\$ 0.00
OTHER	-
TOTAL	\$ 6,527.47

If you have any questions concerning this quotation, contact sales@redvestsupply.com



PROJECT: _____
ITEM # _____ QTY: _____
MODEL # _____
AIA # _____ SIS # _____

VICTORY ELITE™ TOP MOUNT WARMING CABINET

VEHSA-2D-SD

VICTORY ELITE™ TOP MOUNT WARMING CABINET



CABINET CONSTRUCTION

- Stainless Steel Front With Gray Painted Galvanized Sides
- Corrosion Resistant Aluminum Interior
- Full Electronic Control
- Field-Reversible Doors
- Stainless Steel Breaker Caps
- Snap-In, Magnetic Door Gasket(s)
- Heavy-Duty Cylinder Locks
- Heavy-Duty Cam Lift Hinges
- Stay-Open Door Feature For Easy Product Loading
- Required Clearance Is 12" Top
- 6" Casters
- 8' Cord And Plug

FEATURES

- 6 Heavy-Duty Epoxy Coated Shelves
- Adjustable Electronic Temp Control From 80°F To 180°F
- Built-In, Adjustable Humidity Control Vent
- Safety Shielded Strip Type Heating Elements
- Externally Mounted Blower Maintains Even Temperatures
- Proximity Door Switch Activates Interior Incandescent Lighting



- ▶ 3 Year Parts & Labor Warranty
- ▶ Exclusive 2 Year Warranty On Magnetic Door Gaskets
- ▶ Lifetime Warranty On Handles & Hinges (parts only)



Please Verify Qualifying Units By Visiting:
www.energystar.gov/cfs

OPTIONS & ACCESSORIES

- Stainless Steel Back
- Tray Slides
- Additional Shelves
- Stainless Steel Exterior
- Seismic/Flanged Legs
- Stainless Steel Interior
- 6" Legs Or 3" Casters
(no charge at time of unit order)

3779 Champion Blvd, Winston-Salem, NC 27105

ph: (888) 845-9800 | fax: (800) 253-5168

Sales@VictoryRefrigeration.com | VictoryRefrigeration.com


Rev. 9/29/22 Printed in U.S.A.

APPROVAL: _____ DATE: _____



VICTORY ELITE™ TOP MOUNT WARMING CABINET

VEHSA-2D-SD



We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. Dimensional tolerances +/- 1/4". Metric dimensions (MM)

12" Top Clearance Is Required

CHARACTERISTICS		ELECTRICAL DATA		SHIPPING DETAILS	
Net Capacity (cubic ft.)	45.04	Cabinet Voltage	208/240/60/1	Height	88"
Width, Overall (in.)	52"	Total Amperes	11.3/13.0	Width	55"
Depth, Overall (with handles)	33 7/8"	NEMA Plug (8' cord)	6-20P	Depth	37"
Height Overall (6" casters)	84 1/2"	Heater Watts	3000	Crated Weight	455 lbs
Depth, Door Open 90°	55 1/8"				
Door Openings (in.)	21 5/8" x 61 5/8"				
No. Of Doors/Shelves	2/6				

3779 Champion Blvd, Winston-Salem, NC 27105 | ph: (888) 845-9800 | fax: (800) 253-5168

Sales@VictoryRefrigeration.com | VictoryRefrigeration.com

Rev. 9/29/22 Printed in U.S.A.

an Ali Group Company



The Spirit of Excellence