

Xerox® Versant® 280 Press

Let's build a more
profitable future.



xerox™

The Xerox® Versant® 280 Press

The all-in-one, ever-evolving, field-proven profit builder. Reimagined to deliver everything you need in a mid-production press.



We're living in a world of reinvention. Faster turnarounds, shorter print runs. Yesterday's trends have become today's reality—and it's time to tap into the demand for more diverse applications.

But here's your opportunity. Our engineers just can't leave our top-selling press alone—and suddenly, the Versant we all love is more versatile than ever before.

START WITH THE BEST.

Since its introduction, Versant has always been the shortest path from potential to profit. But the Versant 280 represents an exponential leap forward. Now you can add more speed to deliver on those fast turnarounds—without sacrificing quality. In fact, you'll be adding capabilities you—or your competition—won't find anywhere else.

MAX OUT YOUR MEDIA CAPABILITIES.

Combine Versant speed and quality with the ability to print on supported stocks up to 400 gsm. Load up with envelopes and print on stock as small as 3.9 x 5.7" (98 x 146 mm) and as long as 13 x 47.2" (330 mm x 1.2 m). Labels, tabs, and special substrates like synthetics, polyesters, window clings, transfer paper, and magnetic stock. Plus you'll get all the Versant standards available on every model sold:



Toner consistency, coverage, and alignment controls powered by our Simple Image Quality Adjustment (SIQA) automation



Closed loop process controls for color consistency



Xerox® EA Toner with incredible 2400 x 2400 dpi Ultra HD Resolution with 10-bit RIP rendering—even on metallics and Specialty Inks



Choose the feeding option that suits your needs, including precision vacuum feeding for standard and Extra Long Sheets (XLS)



Inline finishing options from simple folds and staples to full bleed, square edge face-trimmed booklets



Walk-up print and scan capabilities

Very versatile. Amazingly automated. Categorically colorful.

It's our most decorated press—now sporting the Keypoint Intelligence/BLI Outstanding Innovation in Production Print Award for its stunning Adaptive CMYK+ Kit option.

TAKE IT TO THE LIMIT.

Add our new All Stocks Rated Speed (ASRS) option, and print 25% faster on every supported stock up to 400 gsm. Our upgraded Decurler Module makes it possible.

MAKE IT EVEN BETTER WITH OUR LEGENDARY PERFORMANCE PACKAGE OPTION.

Take automation to the extreme with click-simple automated color quality with full spectrum color management hardware and software tools. An inline X-Rite® Spectrophotometer with Color Profiler Suite working with Automated Color Quality Suite (ACQS) takes the variability out of the color equation and reduces time-consuming manual color maintenance and operator error.




Xerox Adaptive CMYK+ Kits



GO BEYOND CMYK WITH 11 COLORS, AND INFINITE POSSIBILITIES.

With the exclusive Xerox® Adaptive CMYK+ Kit, your Versant® instantly meets and exceeds today's market demands with swap-and-go simplicity. Shimmering Gold and Silver, pristine White, sparkling Clear, and far-out process Fluorescents join CMYK for a dazzling industry first.

Swap out your standard CMYK toner set with our Vivid Specialty Toner Set or our Fluorescent Specialty Toner set in minutes, with no purge, and you're printing pretty.



Xerox® Versant® 280 Press

PRODUCTIVITY/PRINT SPEED

- Average Monthly Print Volume: Up to 80,000
- Duty Cycle: 750,000
- 80 ppm (8.5 x 11"/A4), 52–400 gsm with ASRS & Performance Package
- 80 ppm (8.5 x 11"/A4), 52–220 gsm
- 60 ppm (8.5 x 11"/A4), 221–400 gsm

IMAGE QUALITY

- 2400 x 2400 dpi VCSEL ROS for sharpness, detailed shadows, and bright highlights
- 1200 x 1200 x 10 RIP rendering without down sampling for Ultra HD performance
- Halftone Screens for smoother, crisper resolution, and improved gradients
 - 150, 175, 200, 300, 600 Clustered Dot
 - 150, 200 Rotated Line Screen
 - FM Stochastic Screen

TECHNOLOGY

- All Stocks Rated Speed (ASRS) option available for 25% faster speeds on stocks up to 400 gsm
- Performance Package option adds an X-Rite® Inline Spectrophotometer for click-simple, fully automated color management with our Automated Color Quality Suite, twice the processing speed plus additional software and hardware for added productivity and fastest output speed
- Ultra HD Resolution with four times more pixels than competitive presses
- Integrated Registration Alignment (IRA) sensors and switches for accurate and automated paper transport controls
- Closed-Loop Process Controls make quality adjustments in real time
- Compact Belt Fuser for higher speeds, image consistency, runs heavyweight and mixed media
- Simplified Image Quality Adjustment (SIQA) for automated Image-to-Media Alignment, Density Uniformity, and Image Transfer Adjustments
- EA Low Melt Dry Ink toner with small, uniform particles, fine lines, and overall image quality
- Bias Charge Rolls with auto cleaning technology improve press productivity
- Smart Decurler calculates coverage, paper, and humidity for flattest possible output

- Modular feeding and finishing options for configuration versatility
- Xerox® SMart Kit® Replaceable Unit customer replaceable items increase up-time
- IEC 62368-1: Versant conforms to the most recent safety standards for information technology equipment

PAPER

Format/Sizes

- Maximum size: 13 x 47.2" (330 mm x 1.2 m)
- Maximum standard sheet: 13 x 19.2" (330 x 488 mm)
- Minimum size: 3.9 x 5.7" (98 x 146 mm)

Flexibility/Weights

- Coated, uncoated, envelopes, tabs, polyester/synthetic, textured, colored, banner, custom media, and mixed-stock printing
- 52–400 gsm uncoated and coated
- 52–256 gsm from Trays 1–3
- 52–400 gsm from Bypass
- 52–220 gsm from optional HCF
- 52–400 gsm from optional OHCF
- 52–400 gsm from optional Adv OHCF
- 52–400 gsm from optional HCVF

Capacity/Handling

- 1,900 sheets standard (80 gsm)
 - Trays 1–3: 550 sheets each, maximum size 13 x 19.2" (330 x 488 mm), minimum size 5.5 x 7.2" (140 x 182 mm)
 - Bypass: 250 sheets, maximum size 13 x 26" (330 x 660 mm), minimum size 3.9 x 5.7" (98 x 146 mm)
- 9,900 sheets maximum (80 gsm)
 - Trays 1–3: 550 sheets each
 - Bypass: 250 sheets
 - Optional Dual AHCF, 4 trays, 8,000 sheets
 - Optional Dual High Capacity XLS Vacuum Feeder, 6300 sheets 13 x 19.2" (330 x 488 mm); 700 sheets 13 x 34" (330 mm x 864 mm); 100 sheets 13 x 47.2" (330 mm x 1.2 m)
- Registration on standard sheets +/- 1.0 mm, 52–300 gsm
- Auto-Tray Switching/Reload-While-Run Capability
- Auto-Duplex 350 gsm (4/4 impressions)
- Simplex 400* gsm (4/0 impressions)

INTEGRATED SCANNER

- Includes Single-Pass Duplex Automatic Document Feeder, up to 200 ipm color/black and white; 250-sheet capacity, up to 11 x 17" (A3), 38 gsm (16 lb Bond) to 200 gsm (53 lb Bond); copy or scan to a variety of output options

PERFORMANCE-ENHANCING OPTIONS

- All Stocks Rated Speed (ASRS) option includes Xerox® Interface Decurler Module (IDM/ASRS), increasing speed by 25% on the heaviest stocks—delivering full rated 80 ppm on all stocks up to 400 gsm*.
- Performance Package option includes Xerox® Interface Decurler Module (IDM/ILS), providing ASRS performance along with an X-Rite® Inline Spectrophotometer working with Automated Color Quality Suite (ACQS) for automated calibration and profile creation. Fully integrated with EFI Fiery® options, including Color Profiler Suite with ES-3000, Compose, and the NX Station GL.

PRINT SERVER OPTIONS

- Xerox® EX 280 Print Server Powered by Fiery®
- Xerox® EX-i 280 Print Server Powered by Fiery®

ELECTRICAL

- North America: 208–240 V, 50/60 Hz, 16 amps/ requires 20A circuit, NEMA 6-20-R socket
- Europe: 220–240 V, 50 Hz, 20 amps/requires 20A circuit, PCE Shark 023-6 mating socket
- Additional electrical required for print server and feeding/finishing devices:
 - 115 VAC, 15 A for 60 Hz or 220 VAC, 10 A for 50 Hz (Western Hemisphere)
 - 220–240 V, 10 A, 50 Hz (Europe)

DIMENSIONS/WEIGHT OF BASE PRESS

- Height: 48" (1,212 mm)
- Width: 30" (760 mm)
- Depth: 33" (831 mm)
- Weight: 651 lb (295 kg)

* Media from the Xerox® Versant® 280 Press Tested Substrate List (TSL)

Ready to tap in to new opportunities with Versant versatility?
Find out more and explore options at www.xerox.com/versant280.

Plockmatic Pro50/35 Booklet Maker

Create professional-quality booklets at rated speed with a compact, affordable inline solution.



Plockmatic Pro50/35 Booklet Maker, manufactured by Plockmatic International AB

The Plockmatic Pro50 or Pro35 Booklet Maker is the production inline option for professional users who require booklets of the highest quality at rated speed — including the option to add color covers and inserts. The Pro50/35's compact design allows customers to choose only the modules they need based on their applications. It can also be used as a walkup device in offline mode.

FEATURES

- **Booklet Maker (BM50/35)** — The standard configuration includes the booklet maker and output tray to provide set compiling, stapling, folding and output tray stacking.
- **Rotate Crease and Bleed Trimmer (RCT)** (optional) — Rotates, creases and bleed trims booklets for a professional look.
- **Cover Feeder (CF50/35)** (optional) — Can be used to add pre-printed covers to any configuration.
- **Face Trimmer (TR50/35)** (optional) — Provides a clean document edge and removes the “shingled” effect on the face of the folded document.
- **Square Folder (SQF50/35)** (optional) — Gives the appearance of a perfect bound book with a printable spine.
- **High Capacity Belt Stacker (BST4000-1)** (optional) — For production-oriented sites; allows long unattended runs and stacks up to 1,000 4-page A4 or letter-sized booklets.
- **Trim Waste Conveyor** (optional) — This option allows long unattended runs while using the RCT, reducing the need for operator intervention to remove waste.

BENEFITS

- Produces high-quality booklets at rated speed.
- Provides two configuration options for producing booklets with a professional look and feel at an affordable cost.
- Compact, inline configuration saves labor and time of doing finishing tasks separately.
- Reduces waste and cost of human errors.
- Robust design delivers optimal application quality when producing booklets from coated media or heavier stock.
- The Pro35, a cost-effective 140-page (35-sheet) booklet maker, is based on the same platform as the Pro50 and can be upgraded to the Plockmatic Pro50.
- Offers flexibility of inline or walkup use (when in offline mode).

COMPONENTS AND DIMENSIONS (W x D x H)

- **BM50/35 — Booklet Maker (Stapler and folder function):** 57.3 x 25.4 x 42.7 in. (1,455 x 645 x 1,085 mm); Weight: 297 lb (135 kg)
- **RCT — Rotate Crease and Bleed Trimmer (optional):** 28 x 29 x 43 in. (720 x 755 x 1,080 mm); Weight: 460 lb (200 kg)
- **CF50/35 — Cover Feeder (optional):** Mounted in the BM30 top cover — does not affect overall dimensions; Weight: 15.5 lb (7 kg)
- **TR50/35 — Face Trimmer (optional):** 13.9 x 23.9 x 40.4 in. (352 x 606 x 1,025 mm); Weight: 148 lb (67 kg)
- **SQF50/35 — Square Folder (optional; requires TR50/35):** 13.9 x 23.9 x 40.4 in. (352 x 606 x 1,025 mm); Weight: 133 lb (60 kg)
- **Waste Conveyor (optional; requires RCT):** 89 x 26 x 23 – 39 in. (2,250 x 650 x 575 – 1,000 mm) Weight: 66 lb (30 kg)

POWER REQUIREMENTS

- 100 – 240 VAC +10%
- 60/50 Hz

PAPER WEIGHT

- Coated — Min: 105 gsm; Max: 300 gsm
- Uncoated — Min: 64 gsm; Max: 300 gsm

PAPER SIZE

- Min: 8.1 x 10.8 in. (206 x 275 mm)
- Max (with RCT): 13 x 18 in. (330 x 457.2 mm)
- Max (without RCT): 12.6 x 18 in. (320 x 457.2 mm)

FOLDING CAPACITY

- Pro35: 1 – 35 sheets of 80 gsm
- Pro50: 1 – 50 sheets of 80 gsm (1 – 6 sheets without staples)

STAPLING CAPACITY

- Pro35: Up to 35 sheets or 140 pages
- Pro50: Up to 50 sheets or 200 pages Saddle-stitched stapling, staple cartridges with 5,000 staples each; 118 mm apart (fixed)

OUTPUT TRAY CAPACITY

- 80 gsm or equivalent:
200 sets of 2 sheets, 70 sets of 8 sheets,
35 sets of 15 sheets, 25 sets of 20 sheets,
15 sets of 30 sheets

FACE TRIM DISTANCE

- Min: 1 mm
- Max: 16 mm (Up to 25 mm with multi-cut operation depending on application and printer specifications)

TRIMMER CAPACITY

- Min: 1-sheet booklets, 64 gsm
- Max: 50-sheet booklets, 80 gsm

BLEED TRIM

- Min: 5 mm per side = 10 mm (0.394 in.)
- Max: 30 mm per side = 60 mm (2.362 in.)

COVER INSERTER CAPACITY

- 200 sheets, 80 gsm or equivalent
- 64 – 200 gsm with Double Feed Detection On
- 200 – 250 gsm with Double Feed Detection Off

SQUARE FOLDER CAPACITY


- Max: 50 sheets, 80 gsm

BOOKLET SIZE

- Min: 8.1 x 5.4 in. (206 x 137.5 mm)
- Max: 12.6 x 9.0 in. (320 x 228.6 mm)

HIGH CAPACITY BELT STACKER

- Can be configured straight after the Pro50/35 or in a 90-degree angle to save space
- Stacks up to 1,000 4-page A4 or letter-size booklets



Plockmatic Pro50/35 shown from the back with Trim Waste Conveyor

For more information on the Plockmatic Pro50/35 Booklet Maker with Plockmatic RCT, contact your Xerox representative, call **1-800-ASK-XEROX** or visit us at **www.xerox.com**.



Xerox® Versant® 280 Press



Total width: 193 in (4,920 mm) **Total height:** 47 in (1,212 mm) **Total depth:** 32 in (831 mm)

Dimensions shown are approximate. Please refer to the Specifications Sheet for exact dimensions.

Xerox® Versant® 280 Press

The all-in-one, ever-evolving, field-proven profit builder. Reimagined to deliver everything you need in a mid-production press. You'll gain an instant quality advantage and ability to create high-value applications. Attract new business, increase margins and build a reputation for excellence with stunning, accurate output

- Up to 80 ppm (52 - 220 gsm)
- Up to 60 ppm (221 - 400 gsm**)
- Auto-Duplex up to 350 gsm
- Xerox's exclusive Ultra HD Resolution
- Simple Image Quality Adjustment Toolset
- Optional Adaptive CMYK+ Kit allowing you to Go Beyond CMYK with 11 colors, and infinite possibilities.

** Heavyweight media from the Versant Tested Substrate List (TSL)



Advanced High Capacity Feeder

Dual tray 4,000 sheet capacity including paper stabilizers and nip/release rollers to minimize skew, four blowers and friction roller system for media handling reliability.

- Holds paper sizes from 5.50" x 7.17" (139.7 mm x 182.0 mm) up to 13" x 19.2"/SRA3 (330.2 mm x 488.0 mm) with a weight of 52 gsm /16lb bond uncoated up to 400 gsm /145 lb** cover uncoated and 106 gsm coated up to 400 gsm /145 lb** cover coated.
- Tray inserter bracket included for printing on smaller media: 3.86" x 5.83" (98.0 mm x 148.0 mm) and envelopes

** Heavyweight media from the Versant Tested Substrate List (TSL)



Xerox® Production Ready Finisher Plus

The Production Ready Finisher Plus provides the same functions as the Production Ready Finisher, although stack tray capacity is reduced from 3,000 sheets to a maximum of 2,000 sheets.

- In addition, this unit adds a Finishing Transport Module which enables connection to our Finishing Partner Solutions



Interface Decurler Module

The Interface Decurler Module acts as a "communications hub" whenever you elect to have any type of finishing, excluding Offset Catch Tray, connected to the press. It enables finisher module communications. A decurler is also resident in this module to ensure flat sheet output.



Plockmatic Pro 50/35™ Booklet Maker

Designed to support professional users that require high quality booklets at rated speed. Includes the option to add color covers and inserts.

- Saddle stitches and folds from 35/50 sheets producing up to 140/200 page booklets or simply fold a single sheet.
- Square fold capacity from 6 sheets (64 gsm) to 30 sheets (80 gsm), along with creating booklets ranging from 8.1" x 5.4" (206 mm x 137.5 mm) to 12.6" x 9.0" (320 mm x 228.6 mm).
- Accepts paper sizes: Min: 8.1" x 10.8" (206mm x 275 mm), Max (with RCT): 13" x 18" (330 mm x 457.2 mm), and Max (without RCT): 12.6" x 18" (320 mm x 457.2 mm).
- Accepts paper weights: Coated: 64 gsm - 300 gsm. Uncoated: 105 gsm - 300 gsm.
- Bleed Trim: 1.0 mm min – 30.0 mm max.
- Face Trim Distance: 1.0 mm min / 16.0 mm max



Xerox® EX 280 Print Server Powered by Fiery® v2.0

Build a more profitable future with the Xerox® Versant® 280 Press and an easy-to-use, powerful digital front end that delivers outstanding quality and best-in-class performance. Meet critical customer turnaround times and increase production capacity with the EX 280 v2.0 Print Server, which processes jobs more than twice as fast compared to the EX-i 280 Print Server.

- Adobe PDF Print Engine version 5
- 1200 x 1200 x 10 RIP Rendering
- Fiery Impose
- Fiery Job Expert



Once you have used the Product Explorer to configure your product, this QR code will allow you, or a sales person, to easily retrieve your configured product details.

How to use your QR Code

1. Open the QR Code reader on your phone, or download a QR code scanning app from your device's app store.
2. Hold your smartphone over the QR Code so that you can clearly see the image within your screen.
3. Your smartphone reads the code and navigates to the intended destination.



Created on 4/21/2023 5:31:58 PM



State of West Virginia
Agency Request for Quote
Miscellaneous

Proc Folder: 1207977			Reason for Modification: Addendum 3
Doc Description: Savin ProC5310 Copier or Equal, Services, and Supplies			
Proc Type: Agency Master Agreement			
Date Issued	Solicitation Closes	Solicitation No	Version
2023-04-18	2023-04-25 14:00	ARFQ 0608 DCR2300000178	4

BID RECEIVING LOCATION

VENDOR

Vendor Customer Code:

Vendor Name: ProSource

Address: 809

Street: QUARRIER Street

City: Charleston

State: West Virginia Country: USA Zip: 25301

Principal Contact: Thomas Messmer

Vendor Contact Phone: 513-313-9865 Extension:

FOR INFORMATION CONTACT THE BUYER

Mary R Kemper
304-957-8226
mary.r.kemper@wv.gov

Vendor Signature: *Thomas F. Messmer* FEIN# 31-1149871 DATE 9/25/2023

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.: ARFQ DCR23*176

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

- | | |
|--|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input checked="" type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Pro Source
Company
Thomas F. Messner
Authorized Signature
4/25/2023
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.
Revised 6/8/2012

VENDOR PREFERENCE CERTIFICATE

Certification and application is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia, or bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia, for four (4) years immediately preceding the date of this certification; or,
 Bidder is a resident vendor partnership, association, or corporation with at least eighty percent of ownership interest of bidder held by another entity that meets the applicable four year residency requirement; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% vendor preference for the reason checked:**
 Bidder is a nonresident vendor that employs a minimum of one hundred state residents, or a nonresident vendor which has an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia and employs a minimum of one hundred state residents, and for purposes of producing or distributing the commodities or completing the project which is the subject of the bidder's bid and continuously over the entire term of the project, on average at least seventy-five percent of the bidder's employees or the bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years and the vendor's bid; or,
4. **Application is made for 5% vendor preference for the reason checked:**
Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**
Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.
8. **Application is made for reciprocal preference.**
Bidder is a West Virginia resident and is requesting reciprocal preference to the extent that it applies.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) rescind the contract or purchase order; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: ProSource

Signed: Thomas F. Messner

Date: 4/25/2023

Title: VP

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
PURCHASING AFFIDAVIT

CONSTRUCTION CONTRACTS: Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

ALL CONTRACTS: Under W. Va. Code § 15A-3-14, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code § 61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: ProSource

Authorized Signature: Thomas F. Messner Date: 4/25/2023

State of WEST VIRGINIA

County of KANAWHA, to-wit:

Taken, subscribed, and sworn to before me this 25 day of APRIL, 2023

My Commission expires 5/1/2024, 20

AFFIX SEAL HERE

NOTARY PUBLIC _____

Purchasing Affidavit (Revised 03/09/2019)



REQUEST FOR QUOTATION
SAVIN ProC5310 Copier or Equal, Services, and Supplies
for West Virginia Correctional Industries
ARFQ 0608 DCR2300000176

- 8.3 Reports:** Vendor shall provide quarterly reports and annual summaries to Agency showing Agency's item purchased, quantities of items purchased, and total dollar value of the item purchased. Vendor shall also provide reports, upon request, showing the item purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.4 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager:	THOMAS F. Messmer
Telephone Number:	513-313-9865
Fax Number:	304-525-3069
Email Address:	TMessmer@TOTALProSource.COM

EXHIBIT A – Pricing Page
ARFQ 0608 DCR2300000176
SAVIN ProC5310 Copier or Equal, Services, and Supplies

Section	Description	Unit of Measure	Quantity	Unit Cost	Extended Cost
3.1.1	Contract Item #1 - Savin ProC5310 Copier or Equal	Monthly	1	3288.09	\$ 3,288.09
3.1.2	Contract Item #2: Professional Services	Monthly	36	0.00	\$ -
3.1.3	Contract Item #3: Maintenance and Support	Monthly	36	400.00	\$ 14,400.00
3.1.4	Contract Item #4: Unit Charge for Color	Monthly	36	1750.00	\$ 63,000.00
3.1.5	Contract Item #5: Unit Charge for Black and White	Monthly	36	1600.00	\$ 57,600.00
3.1.6	Contract Item #6: Color Click Charges	Ea	1	0.035	0.035
3.1.7	Contract Item #7: Black and White Click Charges	Ea	1	0.008	0.008
Overall Total Cost				\$	138,288.13

Please note: This information is being captured for auditing purposes.

Vendor must complete the Pricing Pages in their entirety as failure to do so will result in Vendor's bids being disqualified. A no bid entered on the Pricing Page will result in Vendor's bid being disqualified.

Any product or service not on the Agency provided Pricing Pages will not be allowable. The state cannot accept alternate pricing pages, failure to use Exhibit A Pricing Pages could lead to disqualification of vendors bid.

The Pricing Pages contain a list of the Contract Items and estimated purchase volume. The estimated purchase volume for each item represents Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

BIDDER /VENDOR INFORMATION:

Vendor Name:	Pro Source
Address:	809 QUARRIER STREET
City, St. Zip:	CHARLESTON, West VIRGINIA 25301
Phone No.:	513-313-9865
Email Address:	TMessmer@TOTALPROSOURCE.COM

Thomas F. Messmer
 Vendor Signature:

4/25/2023
 Date:

EXHIBIT A - Pricing Page
RFQ 0608 DCR2300000176
SAVIN ProCS310 Copier or Equal, Services, and Supplies

Section	Description	Unit of Measure	Quantity	Unit Cost	Extended Cost
3.1.1	Contract Item #1 - Savin ProCS310Copier or Equal	Monthly	1	3,288.00	\$ 3,288.00
3.1.2	Contract Item #2: Professional Services	Monthly	36	0.00	\$.
3.1.3	Contract Item #3: Maintenance and Support	Monthly	36	400.00	\$ 14,400.00
3.1.4	Contract Item #4: Tint Charge for Color	Monthly	36	1,750.00	\$ 63,000.00
3.1.5	Contract Item #5: Tint Charge for Black and White	Monthly	36	1,600.00	\$ 57,600.00
3.1.5	Contract Item #6: Color Click Charges	EA	1	0.035	0.035
3.1.7	Contract Item #7: Black and White Click Charges	EA	1	0.008	0.008
Overall Total Cost \$					138,288.13

Please note: This information is being captured for auditing purposes.
 Vendor must complete the Pricing Pages in their entirety as failure to do so will result in Vendor's bids being disqualified. A no bid entered on the Pricing Page will result in Vendor's bid being disqualified.
 Any product or service not on the Agency provided Pricing Pages will not be allowable. The state cannot accept alternate pricing pages, failure to use Exhibit A Pricing Pages could lead to disqualification of vendors bid.
 The Pricing Pages contain bills of the Contract Items and estimated purchase volume. The estimated purchase volume for each item
 Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

BIDDER VENDOR INFORMATION:

Vendor Name:	ProSource
Address:	809 Quarry Street
City, St, ZIP:	Charleston, West Virginia 25301
Phone No.:	513-313-9865
Email Address:	Messenger@TOTALPROSOURCE.COM


 Vendor Signature: _____ Date: 4/25/2003