

Solicitation Response(SR) **Dept:** 0608 **ID:** ESR10232500000002744 **Ver.:** 1 **Function:** New **Phase:** Final

Modified by batch , 10/24/2025

Header 1**General Information** Contact Default Values Discount Document Information Clarification Request**Procurement Folder:**

1801101

Procurement Type:

Agency Purchase Order

Vendor ID:

000000200095

Legal Name:

J F ALLEN COMPANY

Alias/DBA:**Total Bid:**

\$239,650.00

Response Date:

10/23/2025

Response Time:

14:07

Responded By User ID:

aboyles

First Name:

Angela

Last Name:

Boyles

Email:

aboyles@jfallenco.com

Phone:

304-460-7449

SO Doc Code:

ARFQ

SO Dept:

0608

SO Doc ID:

DCR2600000047

Published Date:

10/19/25

Close Date:

10/24/25

Close Time:

10:30

Status:

Closed

Solicitation Description:

Asphalt Paving Project

Total of Header Attachments:

1

Total of All Attachments:

1

ARFQ 0608 DCR2600000047
REQUEST FOR QUOTATION
ASPHALT PAVING PROJECT
NORTH CENTRAL REGIONAL JAIL AND CORRECTIONAL

EXHIBIT E – PRICING PAGE

Contractor's Company Name: J.F. ALLEN COMPANY

Contractor's Address: PO BOX 2049

BUCKHANNON, WV 26201

Phone Number: 304-472-8890

Fax Number: 304-472-8897

Email Address: tbeaty@jfallenco.com

WV Contractor's License Number: WV000376

We, the undersigned, hereby propose to furnish all materials, equipment, and labor to complete all work in a workmanlike manner, as described in the Bidding Documents.


TOTAL BID AMOUNT:

TWO HUNDRED THIRTY-NINE THOUSAND, SIX HUNDRED FIFTY

DOLLARS AND NO CENTS

(\$ 239,650.00)

(Total bid amount must be written in words and numbers.)

Authorized Signature: 

BID BOND

KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned, J F Allen Company
of PO Box 2049 Buckhannon WV 26201-2049, as Principal, and Western Surety Company
of 151 N. Franklin St Chicago IL 60606 a corporation organized and existing under the laws of the State of South Dakota with its principal office in the City of Sioux Falls, as Surety, are held and firmly bound unto the State of West Virginia, as Obligor, in the penal sum of Five Percent of Amount Bid (\$ 5%) for the payment of which, well and truly to be made, we jointly and severally bind ourselves, our heirs, administrators, executors, successors and assigns.

The Condition of the above obligation is such that whereas the Principal has submitted to the Purchasing Section of the Department of Administration a certain bid or proposal, attached hereto and made a part hereof, to enter into a contract in writing for ARFQ 0608 DCR2600000047, Asphalt Paving Project, North Central Regional Jail, 1 Lois Lane Greenwood, WV according to plans and specifications.

NOW THEREFORE,

(a) If said bid shall be rejected, or
(b) If said bid shall be accepted and the Principal shall enter into a contract in accordance with the bid or proposal attached hereto and shall furnish any other bonds and insurance required by the bid or proposal, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be null and void, otherwise this obligation shall remain in full force and effect. It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall, in no event, exceed the penal amount of this obligation as herein stated.

The Surety, for the value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by any extension of the time within which the Obligor may accept such bid, and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, Principal and Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be affixed hereunto and these presents to be signed by their proper officers, this

24 day of October, 20 25.



JF Allen Company

(Name of Principal)

By [Signature]

(Must be President or Vice President)

Vice President

(Title)

Western Surety Company

(Name of Surety)

[Signature]
Ross E. Johnson Attorney-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Corporate seals must be affixed, and a power of attorney must be attached.

Western Surety Company

POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota, and that it does by virtue of the signature and seal herein affixed hereby make, constitute and appoint

Ross E Johnson, Patrick Kee, Beverly A Holstine, Taylor R Johnson, Brady A Campbell, JoAnn Smith, Jennifer Young, Individually

of Charleston, WV, its true and lawful Attorney(s)-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

- In Unlimited Amounts -

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney, pursuant to the authority hereby given, are hereby ratified and confirmed.

This Power of Attorney is made and executed pursuant to and by authority of the By-Law and Resolutions printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation.

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Vice President and its corporate seal to be hereto affixed on this 2nd day of May, 2023.




WESTERN SURETY COMPANY

Larry Kasten
Larry Kasten, Vice President

On this 2nd day of May, 2023, before me personally came Larry Kasten, to me known, who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is a Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation.

My commission expires


March 2, 2026



M. Bent
M. Bent, Notary Public

CERTIFICATE

I, L. Nelson, Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law and Resolutions of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed my name and affixed the seal of the said corporation this 24 day of October . 2025



WESTERN SURETY COMPANY

L. Nelson
L. Nelson, Assistant Secretary

Go to www.cnasurety.com > Owner / Obligor Services > Validate Bond Coverage, if you want to verify bond authenticity.



State of West Virginia
Agency Request for Quote

Proc Folder: 1801101

Doc Description: Asphalt Paving Project

Reason for Modification:

Addendum No. 1:

Proc Type: Agency Purchase Order

Date Issued	Solicitation Closes	Solicitation No	Version
2025-10-18	2025-10-24 10:30	ARFQ 0608 DCR2600000047	2

BID RECEIVING LOCATION

VENDOR

Vendor Customer Code: 000000200095

Vendor Name : J.F. ALLEN COMPANY

Address : PO BOX 2049

Street : 2133 OLD WESTON ROAD

City : BUCKHANNON

State : WEST VIRGINIA

Country : US

Zip : 26238

Principal Contact : TYLER BEATY

Vendor Contact Phone: 304-472-8890

Extension: 304-460-7432

FOR INFORMATION CONTACT THE BUYER

Philip K Farley

(304) 549-1050

philip.k.farley@wv.gov

Vendor
Signature X

FEIN# 55-038627

DATE OCTOBER 23, 2025

All offers subject to all terms and conditions contained in this solicitation

ADDITIONAL INFORMATION

The West Virginia Division of Corrections and Rehabilitation (DCR) is soliciting bids on behalf of North Central Regional Jail and Correctional Facility (NCRJ&CF), to establish a contract for a lump sum quotation for the asphalt paving project. The facility is located North Central Regional Jail and Correctional Facility located 1 Lois Lane, Greenwood, WV 26415 in Doddridge County.

INVOICE TO				SHIP TO			
DIVISION OF CORRECTIONS - CENTRAL OFFICE 1124 SMITH STREET SECOND FLOOR CHARLESTON WV US				NORTH CENTRAL REGIONAL JAIL 1 LOIS LANE GREENWOOD WV US			

Line	Comm Ln Desc	Qty	Unit Issue	Unit Price	Total Price
1	Total Bid Amount	1	LS	239,650.00	239,650.00

Comm Code	Manufacturer	Specification	Model #
30121601			

Extended Description:

Asphalt Paving Project

SCHEDULE OF EVENTS

<u>Line</u>	<u>Event</u>	<u>Event Date</u>
1	Mandatory Pre-Bid Meeting at 10:00 AM E.S.T.	2025-10-10
2	Deadline for Question Due is 2:00 PM E..S.T	2025-10-17
3	Bid Due By 10:30 AM E.S.T.	2025-10-24

	Document Phase	Document Description	Page 3
DCR2600000047	Final	Asphalt Paving Project	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions

	Document Phase	Document Description	Page 4
DCR2600000047	Final	Asphalt Paving Project	

ADDITIONAL TERMS AND CONDITIONS

See attached document(s) for additional Terms and Conditions



CONTRACTOR LICENSE

AUTHORIZED BY THE
West Virginia Contractor
Licensing Board

NUMBER: WV000376

CLASSIFICATION:

GENERAL ENGINEERING
SPECIALTY

J F ALLEN COMPANY
PO BOX 2049
BUCKHANNON, WV 26201-7049

DATE ISSUED

AUGUST 5, 2025

EXPIRATION DATE

AUGUST 5, 2026

Authorized Signature

Chair, West Virginia Contractor
Licensing Board



A copy of this license must be readily available for inspection by the Board on every job site where contracting work is being performed. This license number must appear in all advertisements, on all bid submissions, and on all fully executed and binding contracts. This license is non-transferable. This license is being issued under the provisions of West Virginia Code, Chapter 30, Article 42.



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
10/23/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Aon Risk Services Central, Inc. Chicago IL Office 200 East Randolph Chicago IL 60601 USA	CONTACT NAME:		
	PHONE (A/C. No. Ext): (866) 283-7122	FAX (A/C. No.): (800) 363-0105	
E-MAIL ADDRESS:			
INSURER(S) AFFORDING COVERAGE			
NAIC #			
INSURED J.F. Allen Company, Inc. P.O. Box 2049 Buckhannon WV 26201 USA	INSURER A:	Zurich American Ins Co	16535
	INSURER B:	Underwriters at Lloyds	32727
	INSURER C:		
	INSURER D:		
	INSURER E:		
	INSURER F:		

Holder Identifier :

COVERAGES CERTIFICATE NUMBER: 570116330411 REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER ☒ POLICY ☐ PRO-JECT ☐ LOC ☐ OTHER			GL0509886916	04/01/2025	04/01/2026	EACH OCCURRENCE	\$2,000,000
							DAMAGE TO RENTED PREMISES (Ea occurrence)	\$1,000,000
							MED EXP (Any one person)	\$10,000
							PERSONAL & ADV INJURY	\$2,000,000
							GENERAL AGGREGATE	\$4,000,000
							PRODUCTS - COMP/OP AGG	\$4,000,000
A	☒ AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ OWNED AUTOS ONLY ☐ HIRED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ NON-OWNED AUTOS ONLY			BAP 5098870-16	04/01/2025	04/01/2026	COMBINED SINGLE LIMIT (Ea accident)	\$5,000,000
							BODILY INJURY (Per person)	
							BODILY INJURY (Per accident)	
							PROPERTY DAMAGE (Per accident)	
							Comp./Coll. Deductible	\$250
B	☒ UMBRELLA LIAB ☒ OCCUR ☐ EXCESS LIAB ☐ CLAIMS-MADE ☐ DED ☒ RETENTION			CSUSA2508645 SIR applies per policy terms & conditions	04/01/2025	04/01/2026	EACH OCCURRENCE	\$8,000,000
							AGGREGATE	\$8,000,000
							SIR	\$10,000
A	☒ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	WC509886816	04/01/2025	04/01/2026	☒ PER STATUTE ☐ OTHER	
							E.L. EACH ACCIDENT	\$1,000,000
							E.L. DISEASE-EA EMPLOYEE	\$1,000,000
							E.L. DISEASE-POLICY LIMIT	\$1,000,000

Certificate No : 570116330411

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

State of WV
1900 Kanawha Blvd. E, Bldg. 5
Charleston WA 25302 USA

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Aon Risk Services Central Inc.



ADDITIONAL REMARKS SCHEDULE

Page _ of _

AGENCY Aon Risk Services Central, Inc.		NAMED INSURED J.F. Allen Company, Inc.
POLICY NUMBER See Certificate Number: 570116330411		
CARRIER See Certificate Number: 570116330411	NAIC CODE	EFFECTIVE DATE

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: ACORD 25 **FORM TITLE:** Certificate of Liability Insurance

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

ADDITIONAL POLICIES

If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

[illegible]



AGENCY CUSTOMER ID: 570000076946

LOC #:

ADDITIONAL REMARKS SCHEDULE

Page _ of _

AGENCY Aon Risk Services Central, Inc.		NAMED INSURED J.F. Allen Company, Inc.	
POLICY NUMBER See Certificate Number: 570116330411			
CARRIER See Certificate Number: 570116330411	NAIC CODE	EFFECTIVE DATE:	

ADDITIONAL REMARKS**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,****FORM NUMBER:** ACORD 25 **FORM TITLE:** Certificate of Liability Insurance**Underwriting Companies**

Apollo - Lloyd's Syndicate APL 1969 30%
Hiscox - Lloyd's Syndicate HIS 0033 28.75%
Inigo - Lloyd's Syndicate IGO 1301 16.25%
ACT 9 - Lloyd's Syndicate AON 4519 25%

ARFQ 0608 DCR2600000047
REQUEST FOR QUOTATION
ASPHALT PAVING PROJECT
NORTH CENTRAL REGIONAL JAIL AND CORRECTIONAL

ADDENDUM NO.1

Clarifications:

- C1: Please see the attached mandatory pre-bid sign-in sheet.
- C2: In specifications section 1.01(A), subsection 1(b), the previously stated has changed to the following. The yellow highlighted areas are the changes:
- 1) The contractor must clean off the parking lot area.
 - 2) Any areas that are within seven (7') feet of existing raised concrete curves, the contractor must mill the previously specified areas so that whenever the new asphalt is installed, the height that the existing raised concrete curves will remain the same as it is now. At the existing asphalt that is against the existing concrete curves, the contractor must mill the thickness of the total of the new asphalt that will be installed and slope the milling back over any areas that are seven (7') from the existing concrete curves.
 - 3) Any areas that are within seven (7') feet of existing concrete storm water drains, the contractor must mill the previously specified areas so that whenever the new asphalt is installed, the slope will still remain to the existing concrete storm drains and will not be a large dip in the parking lot areas. At the existing asphalt that is against the existing concrete storm drains, the contractor must mill the thickness of the total of the new asphalt that will be installed and slope the milling back over any areas that are seven (7') from the existing concrete storm drains.
 - 4) The contractor must relocate all spoils removed to an acceptable location and dumped at the facility. The location will be determined at the pre-bid meeting.
 - 5) The contractor must install a scratch coarse over the existing asphalt in the front parking lot area in order to fill in any of the existing potholes and level the area prior to installing the final wearing coarse. The scratch coarse must average one-half (1/2") inches in depth. The course grade asphalt must be no. 2.
 - 6) The contractor must install two (2") inches of new no. 2 course grade asphalt overtop of the new scratch course asphalt. The thickness of the new course grade asphalt must be two (2") inches thick after rolled.

ARFQ 0608 DCR2600000047
REQUEST FOR QUOTATION
ASPHALT PAVING PROJECT
NORTH CENTRAL REGIONAL JAIL AND CORRECTIONAL

- 7) The contractor must install one and a half (1.5") inches of new wearing coat overtop of the course grade. The thickness of the new wearing grade must be one and a half (1.5") inches thick after rolled.
 - 8) The contractor must slope the new asphalt toward the existing storm drains.
 - 9) After the new wearing cost is installed, the contractor must paint the parking lot lines on the new asphalt.
 - 10) The facility will remove any metal sign poles, signs, and concrete parking blocks (if applicable).
 - 11) After the contractor has completed the work, the facility will install back the sign poles, signs, and concrete parking blocks (if applicable).
- C3: In specifications section 1.01(A), subsection 2(b), subsection 3, the previously stated has changed to the following. The yellow highlighted areas are the changes:
- 3) The contractor must install one and a half (1.5") inches of new wearing coat overtop of the existing asphalt after milled. The thickness of the new wearing grade must be one and a half (1.5") inches thick after rolled.
- C4: In specifications section 1.01(A), subsection 3(a), subsection 1, the previously stated has changed to the following. The yellow highlighted areas are the changes:
- 1) The existing intake parking lot area consists of eight (8") inches of aggregate base material and four and a half (4.5") inches of asphalt which consists of three (3") inches of base coat, and one (1.5") inch of wear coat.
- C5: In specifications section 1.01(A), subsection 3(b), the previously stated has changed to the following. The yellow highlighted areas are the changes:
- 1) The contractor must temporarily relocate the eight (8) existing twenty (20') feet by eight (8') feet by eight (8') feet metal storages buildings. The temporary location will be determined at the at the pre-bid meeting. Prior to temporarily relocating, the facility staff will remove all heavy items out of the metal storage building. The contractor must put the storage units back in the same location after the asphalt has been installed. Please note that the facility may request that the existing metal storage buildings be put back in a different configuration in the parking lot area.

ARFQ 0608 DCR2600000047
REQUEST FOR QUOTATION
ASPHALT PAVING PROJECT
NORTH CENTRAL REGIONAL JAIL AND CORRECTIONAL

- 3) The contractor must clean off the intake parking lot area.
 - 4) The contractor must install one and a half (1.5") inches of new wearing coat overtop of the existing asphalt after milled. The thickness of the new wearing grade must be one and a half (1.5") inches thick after rolled.
- C6: In specifications section 1.01(A), subsection 4 has been moved to subsection 5 so that a new subsection 4 can be added.
- C7: In specifications section 1.01(A), subsection 4, the following has been added. The yellow highlighted areas are the changes:
- 4. The access road outside the outer sallyport gate area:
 - a. Information on the access road outside the outer sallyport gate area:
 - 1) The existing access road area consists of eight (8") inches of aggregate base material and four and a half (4.5") inches of asphalt which consists of three (3") inches of base coat, and one (1.5") inch of wear coat.
 - 2) There is an area that has previously been cut out to install a natural gas pipeline underneath the access road and then reinstalled.
 - 3) The existing access road is twenty-three (23') feet wide and right before the outer sallyport gate, it reduces down to twenty (20') feet wide.
 - 4) On the left hand side of the access road, the area of this project is approximately seventy-seven (77') feet from the outer sallyport gate.
 - 5) On the right hand side of the access road, the area of this project is approximately ninety-one (91') feet from the outer sallyport gate. The reason the right hand side is long is because there is more of a curve.

ARFQ 0608 DCR2600000047
REQUEST FOR QUOTATION
ASPHALT PAVING PROJECT
NORTH CENTRAL REGIONAL JAIL AND CORRECTIONAL

- 6) On the left hand side, there is an existing call box. It appears that there was previously asphalt against the existing call box post, but it has broken up and gravel had been installed.
 - 7) At the outer sallyport gate, there are metal bollards on both the left hand and right hand sides with concrete around them. The contractor is not to mill any of the existing concrete that is around the metal bollards.
 - 8) At the outer sallyport gate, there is existing concrete underneath the sallyport gate. The contractor is not to mill any of the previously stated.
- b. Construction on the access road outside the outer sallyport gate area:
- 1) The contractor must mill one and a half (1.5") inches of existing asphalt of the specified dimensions previously stated. The contractor must relocate all spoils removed to an acceptable location and dumped at the facility. The location will be determined at the pre-bid meeting.
 - 2) The contractor must clean off the access road area.
 - 3) The contractor must install one and a half (1.5") inches of new wearing coat of the existing asphalt after milled in the specified dimensions previously stated. The thickness of the new wearing grade must be one and a half (1.5") inches thick after rolled.
 - 4) The contractor must install new wearing coat asphalt against the right hand side of the metal post to the call box.

C8: In specifications section 1.01(B), subsection 4, the following has been added. The yellow highlighted areas are the changes:

4. Attachment no. 4: Pictures of the existing access road outside the outer sallyport gate area.

C9: Please see attached attachment no. 4: Pictures of the existing access road outside the outer sallyport gate area.

C10: The time and date the bids are due by has not changed: 10:30 AM E.S.T. on October 24, 2025

Pre-Bid Sign-In Sheet

Solicitation Number: RF 0608 NR260000047

Date of Pre-Bid Meeting: 10/10/2025

Location of Prebid Meeting: NK RTRCF

Please Note:

Vendors must sign-in on this sheet to verify attendance at the Pre-Bid meeting. Failure to legibly sign in may be grounds for declaring a vendor ineligible to bid. For further verification, please also provide a business card if possible.

Firm Represented:*	Rep Name (Printed):	Firm Address:	Telephone #:	Fax #:	Email:
Kelly Pavins Inc.	Brady Schilling	P.O. Box 366 Williamstown, WV 26187	(740) 336-3164	(740) 373-6505	b.schilling@shellyandsands.com
J.F. Allen Company	Baran Leatherman	P.O. Box 2049 Buckhannon, WV 26201	304-203-2312	304-472-8897	bleatherman@jfallenco.com
EPM LLC	Brandon Parsons	673 Nicolette Rd Parkersburg, WV, 26104	304-916-6117		info.epmllc@gmail.com
Bear Contracting	Ralph Leggett	1 Columbia Blvd. Clarksburg, WV 26301	(804) 695-1386		estimating@bear-contracting.com
Anderson Excavating	Carole Sorenson	383 Williams Rd Morgantown WV	204-983-8296		Csorenson@andersonexcavating.com
Wolfes Excavating	Chris Smith	70 Columbia Blvd Clarksburg, WV 26301	304-842-9050	304-842-9051	Csmith@wolfesexcavating.com jpumphrey@wolfesexcavating.com

***One Vendor Per Representative** - No one individual is permitted to represent more than one vendor at the pre-bid meeting. Any individual that does attempt to represent two or more vendors will be required to select one vendor to which the individual's attendance will be attributed. The vendors not selected will be deemed to have not attended the pre-bid meeting unless another individual attended on their behalf.