

Quote

07/24/2025

To:	Project:	From:
Northern Regional Jail & Correctional Center	Northern Regional Jail & Correctional Center	Carney & Sloan, Inc.
112 Northern Regional Jail Correction Drive	112 Northern Regional Jail Correction Drive	Ryan Carney
Moundsville, WV	Moundsville, WV	518 Main St.
26041 (Marshall County)	26041 (Marshall County)	Wheeling, WV 26003-2524
		304-233-5000
		001f400000CvFlwAAF

Job Reference Number: 134952

Freight estimates are provided as a courtesy and are subject to change without notice. Rates are subject to freight carrier fuel surcharges and fees at time of shipment and are not guaranteed. Special services such as lift gate, inside delivery, and residential delivery will be subject to additional charges.

Item	Qty	Description	Sell	Sell Total
1	4 ea	ICE MAKER, CUBE-STYLE	\$8,389.00	\$33,556.00
		Scotsman Model No. MC0530SA-1 Prodigy ELITE® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), small cube size, ICELINQ® mobile app, Bluetooth® connectivity, preservation mode, external bin full indicator, AutoAlert™ indicating lights, WaterSense adjustable purge control, one-touch cleaning, harvest assist, front facing removable air filter, unit specific QR code, stainless steel finish, AgION™ antimicrobial protection, 115v/60/1-ph, 15.2 amps, cULus, NSF, engineered and assembled in USA		
	4 ea	NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details		
	4 ea	3 year parts & labor warranties		
	4 ea	5 year parts & labor warranties on Evaporator		
	4 ea	5 year parts on compressor & condenser		
	4 ea	HD30B-1 iceValet® Hotel/Motel Ice Dispenser, floor model, push dispensing, 180 lb storage capacity, designed for 30" wide top mount cube-type ice makers, ADA compliant dispensing area, polyurethane insulation, unit specific QR code, includes 6" legs, metallic finish, includes 11' power cord with NEMA 5-15P plug, 115v/60/1-ph, 2.1 amps, NSF, cULus, engineered and assembled in USA, ADA Compliant dispensing area		

Item	Qty	Description	Sell	Sell Total
	4 ea	NOTE: includes KLP2E black enamel 6" adjustable leveling legs		
			ITEM TOTAL:	\$33,556.00
			Total	\$33,556.00



FINANCE FROM:

\$425.89

PER WEEK

...and keep your cash
in your business.

SCAN OR CLICK
HERE TO APPLY:info@silverchef.com

✓ Fast applications ✓ Fast approvals ✓ Fast funding

Terms, conditions and restrictions apply. Participation subject to approval. See details at silverchef.com. Consult your own tax/legal advisors whether this program is right for you.

CARNEY & SLOAN REQUIRES A SIGNED CONTRACT TO PROCESS ORDER

Signature_____

This proposal is subject to the Buyer obtaining financial arrangements that are acceptable to Carney & Sloan Inc. PAYMENT TO BE MADE AS FOLLOWS:

NET 30 DAYS

NOTE: If payment is made by Credit Card a 3% Processing fee will be added

All material is guaranteed to be as specified. All work to be completed in workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving a change in the cost will be executed only upon a written change order. Any additional requirements made by the building or health inspector after the signing of these contract documents are the responsibility of the Buyer. In the event Buyer cancels his purchase of all or any of the goods hereunder, Buyer shall be liable to Seller for any manufacturer's restocking fees, freight or any related charges. NOTE: THE

ABOVE PRICES DO NOT INCLUDE FEES, PERMITS OR TAXES AND WILL HOLD FIRM FOR 30 DAYS FROM THE DATE OF THIS PROPOSAL.

AUTHORIZED SIGNATURE **Ryan Carney** CARNEY & SLOAN INC.

WV Contractor's License #WV028897

ACCEPTANCE OF PROPOSAL The above prices, specifications and

conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

SECURITY AGREEMENT: Purchaser, for valuable consideration, hereby grants to Carney & Sloan Inc. security interest in all equipment and consumer goods furnished by Carney & Sloan Inc. pursuant to Purchaser's open-end credit account and as well grants a security interest in all property described above, all of which is intended to remain personalty. This agreement shall not be rendered void by the fact that as of any particular date, there is no outstanding secured obligations, and no commitment to make advances. If at such time additional future advances are completed by the parties hereto or any of them in the form of an open-end credit account, this agreement shall if otherwise valid, continue in full force and effect and as security for any indebtedness of the debtor to the secured party, incurred or arising prior to the filing of record of a termination statement with respect hereto as required by law. Open account balances are due in full, 10 days after the date of purchase. If not paid a Periodic Rate (Finance Charge) of 1 ½ % per month (Annual Percentage Rate of 18%) will be assessed on the balance. The Vendor Is Not Bound by Any Verbal Agreement or Modification of the Terms of this Contract.

PRODIGY[®]
ELITE

MC0530 - 500lb Cube Ice Machine

Prodigy ELITE[®] Modular Cube Ice Machine

ENHANCED RELIABILITY

Integrated ICELINQ[®] App

Provides real-time diagnostics, access to settings and guided cleanings. The app also contains specific information for convenient maintenance.

Upgraded Sensors

Ice thickness and water sensor design enhances cleanability and amplifies durability.

Preservation Mode

Maximizes uptime and notifies users of potential issues.

EASE OF USE

AutoAlert[™] Panel

The AutoAlert[™] panel displays relevant machine status that is visible across the room. Now featuring an external bin full indicator light and easier to read 16-segment display.

SANITARY DESIGN

Removable, External Air Filters

Speeds up cleaning process and reduces unit footprint.

WaterSense Adaptive Purge

Optimizes water consumption, keeping the machine cleaner and operating more efficiently.



Compatible with ICELINQ[®]



The ICELINQ[®] app simplifies interaction with machine via Bluetooth[®] connection



Intelligent sensor technology maximizes efficiency and lowers operating costs



24 Hour Volume Production

Air Cooled		Remote		Water Cooled	
70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	Air Water	70°F/21°C 50°F/10°C	Air Water
525/238 lb/kg		380/172 lb/kg		500/227 lb/kg	410/186 lb/kg



Modular Bin Options

Model Number*	Dimensions W" x D" x H"	Bin Application Capacity lb/kg	Finish	Ship Weight lb/kg
B330P	30 x 34 x 36	344/156	Poly	130/59
B530S or P	30 x 34 x 50	536/244	Metallic or Poly	150/68



* Contact Scotsman for bin top requirements.



Cube Ice

Common ice form, ideal for mixed drinks.



Small Cube
7/8" x 7/8" x 3/8"
(2.22 x 2.22 x .95 cm)



Medium Cube
7/8" x 7/8" x 7/8"
(2.22 x 2.22 x 2.22 cm)



Certification



ICELINQ



Warranty

- 3 Years parts and labor on all components.
- 5 Years parts and labor on the evaporator.
- 5 Years parts on the compressor and condenser.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor

Scotsman[®]

Northern Regional Jail & Correctional Center

101 Corporate Woods Parkway, Vernon Hills, IL 60061

1-800-SCOTSMAN | Fax: 847-913-9844 | www.scotsman-ice.com | customer.relations@scotsman-ice.com


Carney & Sloan, Inc.

Page: 4

MC0530 - 500lb Cube Ice Machine

MC0530 - 500lb Cube Ice Machine

Prodigy ELITE® Modular Cube Ice Machine



Specifications

Model Number	Condenser Unit	Basic Electrical Volts/Hz/Phase	Max. Fuse Size or HACR Circuit Breaker (amps)	Circuit Wires	Min. Circuit Ampacity	Energy Consumption kWh/100 lb (45.4 kg) 90°F(32°C)/70°F(21°C)	Water Usage Gallons/100 lb (liters/45.4 kg)	
							Potable 90°F(32°C)/70°F(21°C)	Condenser 90°F(32°C)/70°F(21°C)
med. MC0530MA-1	Air	115/60/1	20	2	15.2	5.80	18.0/68.1	-
MC0530MR-1	Remote	115/60/1	20	2	16.2	6.50	18.0/68.1	-
MC0530MW-1	Water	115/60/1	15	2	13.5	5.00	18.0/68.1	160.0/606.7
MC0530MA-32	Air	208-230/60/1	15	2	7.8	5.80	18.0/68.1	-
sm. MC0530SA-1	Air	115/60/1	20	2	15.2	5.80	18.0/68.1	-
MC0530SR-1	Remote	115/60/1	20	2	16.2	6.50	18.0/68.1	-
MC0530SW-1	Water	115/60/1	15	2	13.5	5.00	18.0/68.1	160.0/606.7
MC0530SA-32	Air	208-230/60/1	15	2	7.8	5.80	18.0/68.1	-



All Models

Dimensions (W x D x H):

Unit: 30" x 24" x 23"
(76.2 x 61.0 x 58.4 cm)

Shipping Carton: 33.5" x 27.5" x 28"
(85.1 x 69.9 x 71.1 cm)

Shipping Weight: 175 lb / 80 kg BTUs per hour: 7,900

Refrigerant: R-404A



Accessories

Model Number	Description
KVS	Vari-Smart™ Ice Level Control - Precisely control ice levels using ultrasonic technology.
KBILC	Basic Ice Level Control - Thermistor technology, ideal for dispenser applications.
KSBU	Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis.
KSBU-N	Smart-Board™ Advanced Control with Network - Network capable.
ERC111-1	Remote condenser for MC0530xR, 115/60/1- Consult remote condenser spec sheet for details.
BRTE10	10ft (3.0 m) line set, brazing required
BRTE25	25ft (7.6 m) line set, brazing required
BRTE40	40ft (12.2 m) line set, brazing required
BRTE75	75ft (22.9 m) line set, brazing required
KPAS	Prodigy Advanced Sustainability Kit - Includes KVS and KSBU - N
XR-30	XSafe® Sanitation System for Modular Cube - Continuous operation, field-installed.

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Potable Water Pressure	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Cond. Water Pressure	20 PSIG (1.4 bar)	230 PSIG (16.1 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.



HD30 - 30" Hotel Dispenser

iceValet® Hotel Dispenser

Features

- Stores up to 180 lb. of cube ice.
- Simple push chute for easy ice dispensing.
- Modern, stylish design in a corrosion resistant metallic cabinet.
- Removable top panel allows access to the bin for easy cleaning without having to remove the ice machine.
- Improved sink depth that will accommodate almost every size hotel ice bucket.
- ADA compliant dispensing area.
- Equipped with an 11 ft. power cord.
- Match the iceValet® dispenser with a Scotsman Prodigy Plus® ice machine featuring self-monitoring technology, cost-saving energy efficiency, extended time between cleanings, easy-access servicing and built-in anti-microbial protection. All of these features add up to the smartest choice in ice.



Optional sanitary lever dispensing kit available (KHDSANLV)



Standard easy push chute



Storage Capacity

HD30

Application Bin Capacity

180/81
lb/kg



Matching Ice Machine Options

Model Number	Cube Size	Condenser Type	24 Hr Ice Production	
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg
C0330MA	Medium	Air	350/159	288/131
C0330MW	Medium	Water	400/182	326/148
C0330SA	Small	Air	350/159	288/131
C0330SW	Small	Water	400/182	326/148
C0530MA	Medium	Air	525/238	380/172
C0530MW	Medium	Water	500/227	410/186
C0530SA	Small	Air	525/238	380/172
C0530SW	Small	Water	500/227	410/186



Polyurethane Insulation

Foam insulation is forced between the wall and liner under heat and pressure to form a perfect wall to wall bond, preserving ice supply for long periods.



Certification



Warranty

- 3 years parts and labor on all components.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor

Scotsman®


- 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •
- 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • customer.relations@scotsman-ice.com •

HD30 - 30" Hotel Dispenser

HD30 - 30" Hotel Dispenser

iceValet® Hotel Dispenser

Installation Note: Allow 6" space at left, back and right side for ventilation and utility connections.



Specifications

Model Number	Actuation	Application Bin Capacity lb/kg	Electrical	Circuit Wires	Min. Circuit Ampacity	Max. Fuse Size or HACR Circuit Breaker (amps)
HD30B-1	Push	180/81	115/60/1	2	Cord	15
HD30W-1*	Push	180/81	115/60/1	2	Cord	15

*Unit comes with a water spout next to ice chute



All Models

Dimensions (W x D x H):

Unit: 30" x 33.5" x 47.25"
(76.2 x 85.1 x 120.0 cm)

Shipping Carton: 33" x 37" x 53"
(83.8 x 94 x 134.6 cm)

Shipping Weight:

HD30B-1: 220 lb / 100 kg
HD30W-1: 224 lb / 102 kg



Accessories

Model Number	Description
KHDSANLV	Sanitary lever dispensing kit, for HD models

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.