

EXHIBIT A – Pricing Page**ARFQ DCR2500000118**

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser - 180 lb. Storage,
Bucket Fill, 115v or Equal**

Section	Description	Unit of Measure	Annual Quantity	Unit Cost	Extended Cost
3.1.1	Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser - 180 lb. Storage, Bucket Fill, 115v or Equal	EA	4	\$8,688.66	\$ 34,754.64
		Overall Total Cost		\$	34,754.64

Vendor must complete and return this Pricing Page.

Any product or service not on the Agency provided Pricing Page will not be allowable. The State cannot accept an alternate Pricing Page, failure to use Exhibit A Pricing Page will lead to disqualification of vendor's bid. No future use of the Contract or any individual item is guaranteed or implied. A no bid entered in the Pricing Page will result in Vendor's bid being disqualified.

Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.

BIDDER /VENDOR INFORMATION:

Vendor Name:	Red Vest Supply
Address:	1656 Lynnbrook Ct. Orient. OH 43146
City, St. Zip:	
Phone No.:	740-357-7375
Email Address:	govsales@redvestsupply.com

Vendor Signature: *Michael Lackey*

Date: 7/21/2025

Quotation

RED VEST SUPPLY
604 Jett Street
West Portsmouth, OH 45663
Phone (740) 357-7371



DATE 07/21/25
Quotation # ARFQ-0608-
DCR2500000118-1
Customer ID STWV

Quotation For:
STATE OF WEST
VIRGINIA

Quotation valid until: 08-21-2025

Comments or Special Instructions:

Please see attachments for detailed spec sheet of units along with warranty information.

SALESPERSON	P.O. NUMBER	LEAD TIME	SHIP VIA	F.O.B. POINT	TERMS
Nikki Baffa		1 - 2 WEEKS			Net 30 Days

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
4	SCOTSMAN MC0530SA-1 Prodigy ELITE Half Cube Ice Head – 525lb Production/ SCOTSMAN HD30B-1 Ice Dispenser – 180 lb Storage, Bucket Fill-COMBO --- ICE MACHINE DETAILS: •Part of the Prodigy ELITE series •525-lb. daily ice production capacity • 380-lb. AHRI-certified daily ice production capacity • Half-cube ice size: 7/8 in. x 7/8 in. x 3/8 in. • Air-cooled condenser uses R404A refrigerant • Connects to mobile app via bluetooth for settings adjustments, guided cleaning, and diagnostics reports • Air filter is located on the front for uninterrupted air flow • Unit's operating status is always displayed with • AutoAlert indicator lights Compatible with ICELINQ mobile application • QR code provides the user with technical and warranty information • Cleaning process begins operating with the push of a button • Front panel provides access to internal components • WaterSense minimizes scale buildup by adjusting water quality • Harvest Assist ensures a constant supply of ice • Built-in antimicrobial agent protects the unit between cleanings • 7,900 BTU • Required ambient air temperature: 50-100 degrees F • Required incoming water temperature: 40-100 degrees F • Required water pressure: 20-80 PSI --- SCOTSMAN HD30B-1 Ice Dispenser- 180 lb Storage, Bucket Fill - ICE DISPENSER DETAILS: • Part of the iceValet series • 180-lb. ice storage capacity • Metallic cabinet resists rusting • Push chute facilitates ice dispensing • Removable top panel for cleaning and servicing • Wide dispensing area accommodates almost every size ice bucket • Polyurethane foam insulation adds structure and retains temperatures • Required ambient air temperature: 50-100 degrees F • Required incoming water temperature: 40-100 degrees F • Required incoming water pressure: 20-80 PSI	\$ 8,688.66	\$ 34,754.64

SUBTOTAL	\$ 34,754.64
TAX RATE	0.00%
SALES TAX	\$ 0.00
OTHER	-
TOTAL	\$ 34,754.64

If you have any questions concerning this quotation, contact sales@redvestsupply.com

PRODIGY[®]
ELITE

MC0530 - 500lb Cube Ice Machine

Prodigy ELITE[®] Modular Cube Ice Machine

ENHANCED RELIABILITY

Integrated ICELINQ[®] App

Provides real-time diagnostics, access to settings and guided cleanings. The app also contains specific information for convenient maintenance.

Upgraded Sensors

Ice thickness and water sensor design enhances cleanability and amplifies durability.

Preservation Mode

Maximizes uptime and notifies users of potential issues.

EASE OF USE

AutoAlert[™] Panel

The AutoAlert[™] panel displays relevant machine status that is visible across the room. Now featuring an external bin full indicator light and easier to read 16-segment display.

SANITARY DESIGN

Removable, External Air Filters

Speeds up cleaning process and reduces unit footprint.

WaterSense Adaptive Purge

Optimizes water consumption, keeping the machine cleaner and operating more efficiently.



Compatible with ICELINQ[®]



The ICELINQ[®] app simplifies interaction with machine via Bluetooth[®] connection



Intelligent sensor technology maximizes efficiency and lowers operating costs



24 Hour Volume Production

Air Cooled		Remote		Water Cooled	
70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	Air Water	70°F/21°C 50°F/10°C	Air Water
525/238 lb/kg		380/172 lb/kg		500/227 lb/kg	410/186 lb/kg



Modular Bin Options

Model Number*	Dimensions W" x D" x H"	Bin Application		Ship Weight lb/kg
		Capacity lb/kg	Finish	
B330P	30 x 34 x 36	344/156	Poly	130/59
B530S or P	30 x 34 x 50	536/244	Metallic or Poly	150/68

* Contact Scotsman for bin top requirements.



Cube Ice

Common ice form, ideal for mixed drinks.



Small Cube
7/8" x 7/8" x 3/8"
(2.22 x 2.22 x .95 cm)



Medium Cube
7/8" x 7/8" x 7/8"
(2.22 x 2.22 x 2.22 cm)



Certification



ICELINQ[®]



Warranty

- 3 Years parts and labor on all components.
- 5 Years parts and labor on the evaporator.
- 5 Years parts on the compressor and condenser.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor


Scotsman[®]

101 Corporate Woods Parkway, Vernon Hills, IL 60061

1-800-SCOTSMAN | Fax: 847-913-9844 | www.scotsman-ice.com | customer.relations@scotsman-ice.com

MC0530 - 500lb Cube Ice Machine

Prodigy ELITE® Modular Cube Ice Machine



Specifications

Model Number	Condenser Unit	Basic Electrical Volts/Hz/Phase	Max. Fuse Size or HACR Circuit Breaker (amps)	Circuit Wires	Min. Circuit Ampacity	Energy Consumption kWh/100 lb (45.4 kg) 90°F(32°C)/70°F(21°C)	Water Usage Gallons/100 lb (liters/45.4 kg)	
							Potable 90°F(32°C)/70°F(21°C)	Condenser 90°F(32°C)/70°F(21°C)
med. MC0530MA-1	Air	115/60/1	20	2	15.2	5.80	18.0/68.1	-
MC0530MR-1	Remote	115/60/1	20	2	16.2	6.50	18.0/68.1	-
MC0530MW-1	Water	115/60/1	15	2	13.5	5.00	18.0/68.1	160.0/606.7
MC0530MA-32	Air	208-230/60/1	15	2	7.8	5.80	18.0/68.1	-
sm. MC0530SA-1	Air	115/60/1	20	2	15.2	5.80	18.0/68.1	-
MC0530SR-1	Remote	115/60/1	20	2	16.2	6.50	18.0/68.1	-
MC0530SW-1	Water	115/60/1	15	2	13.5	5.00	18.0/68.1	160.0/606.7
MC0530SA-32	Air	208-230/60/1	15	2	7.8	5.80	18.0/68.1	-



All Models

Dimensions (W x D x H):

Unit: 30" x 24" x 23"
(76.2 x 61.0 x 58.4 cm)

Shipping Carton: 33.5" x 27.5" x 28"
(85.1 x 69.9 x 71.1 cm)

Shipping Weight: 175 lb / 80 kg BTUs per hour: 7,900

Refrigerant: R-404A



Accessories

Model Number	Description
KVS	Vari-Smart™ Ice Level Control - Precisely control ice levels using ultrasonic technology.
KBILC	Basic Ice Level Control - Thermistor technology, ideal for dispenser applications.
KSBU	Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis.
KSBU-N	Smart-Board™ Advanced Control with Network - Network capable.
ERC111-1	Remote condenser for MC0530xR, 115/60/1- Consult remote condenser spec sheet for details.
BRTE10	10ft (3.0 m) line set, brazing required
BRTE25	25ft (7.6 m) line set, brazing required
BRTE40	40ft (12.2 m) line set, brazing required
BRTE75	75ft (22.9 m) line set, brazing required
KPAS	Prodigy Advanced Sustainability Kit - Includes KVS and KSBU - N
XR-30	XSafe® Sanitation System for Modular Cube - Continuous operation, field-installed.

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Potable Water Pressure	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Cond. Water Pressure	20 PSIG (1.4 bar)	230 PSIG (16.1 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.



HD30 - 30" Hotel Dispenser

iceValet® Hotel Dispenser

Features

- Stores up to 180 lb. of cube ice.
- Simple push chute for easy ice dispensing.
- Modern, stylish design in a corrosion resistant metallic cabinet.
- Removable top panel allows access to the bin for easy cleaning without having to remove the ice machine.
- Improved sink depth that will accommodate almost every size hotel ice bucket.
- ADA compliant dispensing area.
- Equipped with an 11 ft. power cord.
- Match the iceValet® dispenser with a Scotsman Prodigy Plus® ice machine featuring self-monitoring technology, cost-saving energy efficiency, extended time between cleanings, easy-access servicing and built-in anti-microbial protection. All of these features add up to the smartest choice in ice.



Optional sanitary lever dispensing kit available (KHDSANLV)



Standard easy push chute



Storage Capacity

HD30

Application Bin Capacity

180/81
lb/kg



Matching Ice Machine Options

Model Number	Cube Size	Condenser Type	24 Hr Ice Production	
			70°F/21°C 50°F/10°C lb/kg	Air Water 90°F/32°C 70°F/21°C lb/kg
C0330MA	Medium	Air	350/159	288/131
C0330MW	Medium	Water	400/182	326/148
C0330SA	Small	Air	350/159	288/131
C0330SW	Small	Water	400/182	326/148
C0530MA	Medium	Air	525/238	380/172
C0530MW	Medium	Water	500/227	410/186
C0530SA	Small	Air	525/238	380/172
C0530SW	Small	Water	500/227	410/186




Polyurethane Insulation

Foam insulation is forced between the wall and liner under heat and pressure to form a perfect wall to wall bond, preserving ice supply for long periods.



Certification



Warranty

- 3 years parts and labor on all components.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- Residential Applications: 1 year parts and labor

Scotsman®


- 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •
- 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • customer.relations@scotsman-ice.com •

HD30 - 30" Hotel Dispenser

HD30 - 30" Hotel Dispenser

iceValet® Hotel Dispenser

Installation Note: Allow 6" space at left, back and right side for ventilation and utility connections.



Specifications

Model Number	Actuation	Application Bin Capacity lb/kg	Electrical	Circuit Wires	Min. Circuit Ampacity	Max. Fuse Size or HACR Circuit Breaker (amps)
HD30B-1	Push	180/81	115/60/1	2	Cord	15
HD30W-1*	Push	180/81	115/60/1	2	Cord	15

*Unit comes with a water spout next to ice chute



All Models

Dimensions (W x D x H):

Unit: 30" x 33.5" x 47.25"
(76.2 x 85.1 x 120.0 cm)

Shipping Carton: 33" x 37" x 53"
(83.8 x 94 x 134.6 cm)

Shipping Weight:

HD30B-1: 220 lb / 100 kg
HD30W-1: 224 lb / 102 kg



Accessories

Model Number	Description
KHDSANLV	Sanitary lever dispensing kit, for HD models

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



Operating Requirements

	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.

REQUEST FOR QUOTATION

ARFQ 0608 DCR2500000118

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

SPECIFICATIONS

- 1. PURPOSE AND SCOPE:** The West Virginia Department of Homeland Security - Division of Administrative Services is soliciting bids on behalf of the West Virginia Division of Corrections and Rehabilitation – Northern Regional Jail & Correctional Center to establish a one-time purchase for four Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser - 180 lb. Storage, Bucket Fill, 115v or Equal at the Northern Regional Jail & Correctional Center located at 112 Northern Regional Correction Drive, Moundsville, WV 26041 (Marshall County).
- 2. DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 “Contract Item” or “Contract Items”** means the list of items identified in Section 3.1 below and on the Pricing Page.
 - 2.2 “Pricing Page”** means the schedule of prices, estimated order quantity, and totals contained in wvOASIS or attached hereto as Exhibit A, and used to evaluate the Solicitation responses.
 - 2.3 “Solicitation”** means the official notice of an opportunity to supply the State with goods or services that is published by the WV Division of Administrative Services.
 - 2.4 “kW”** means a unit of power equal to 1,000 watts.
 - 2.5 “AHRI”** means Air-Conditioning, Heating, and Refrigeration Institute.
- 3. GENERAL REQUIREMENTS:**
 - 3.1 Contract Items and Mandatory Requirements:** Vendor must provide Agency with the Contract Items listed below on a one-time purchase basis. Contract Items must meet or exceed the mandatory requirements as shown below.
 - 3.1.1 Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser - 180 lb. Storage, Bucket Fill, 115v or Equal**

REQUEST FOR QUOTATION

ARFQ 0608 DCR2500000118

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

- 3.1.1.1** Must measure as 30" Wide x 24" Depth x 23" Height for the ice maker.
- 3.1.1.2** Must have ice maker operate with 15.2 A, 5.8 kW and 115 V/60 Hz/1 ph.
- 3.1.1.3** Must have ice dispenser operate with 115 V/60 Hz/1 ph and cord with a plug.
- 3.1.1.4** Must measure as 30" Wide x 33 ½" Depth x 53 ¼" Height for the ice dispenser.
- 3.1.1.5** Must have 525 lb. daily ice production capacity.
- 3.1.1.6** Must have 180 lb. storage capacity for the ice dispenser.
- 3.1.1.7** Must have a metallic cabinet with rust resistance for the ice dispenser.
- 3.1.1.8** Must have push chute to facilitate dispensing for the ice dispenser.
- 3.1.1.9** Must have removable top panel for cleaning and servicing for the ice dispenser.
- 3.1.1.10** Must have wide dispensing area to accommodate almost every size ice budget for the ice dispenser.
- 3.1.1.11** Must have polyurethane foam insulation for structure and retainment of temperatures.
- 3.1.1.12** Must have 380 lb. AHRI-certified daily ice production capacity.
- 3.1.1.13** Must produce half-cube ice size.
- 3.1.1.14** Must have air-cooled condenser uses R404A refrigerant.
- 3.1.1.15** Must connect to mobile app via Bluetooth for settings adjustments, guided cleaning, and diagnostics reports. Must be compatible with ICELINQ or equivalent mobile application.

REQUEST FOR QUOTATION

ARFQ 0608 DCR2500000118

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

- 3.1.1.16** Must have air filter located on the front of machine for uninterrupted air flow.
- 3.1.1.17** Must have unit's operating status always displayed with AutoAlert indicator lights.
- 3.1.1.18** Must have QR code provided the user with technical and warranty information.
- 3.1.1.19** Must be equipped with push button cleaning option.
- 3.1.1.20** Must have front panel access to internal components.
- 3.1.1.21** Must have WaterSense to minimize scale buildup by adjustment of water quality.
- 3.1.1.22** Must have Harvest Assist or equivalent to ensure a constant supply of ice.
- 3.1.1.23** Must have built-in antimicrobial agent protection for the unit between cleanings.
- 3.1.1.24** Must have 7,900 BTU (British Thermal Unit).

4. CONTRACT AWARD:

- 4.1 Contract Award:** The Contract is intended to provide Agency with a purchase price on all Contract Items. The Contract shall be awarded to the Vendor that provides the Contract Items meeting the required specifications for the lowest overall total cost as shown on the Pricing Page.
- 4.2 Pricing Page:** Vendor should complete the Pricing Page. Vendor should complete the Pricing Page in their entirety as failure to do so will result in Vendor's bids being disqualified.

Vendor should electronically enter the information into the Pricing Page through wvOasis, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Page for bid purposes by sending an email request to the following email address: jerry.d.rush@wv.gov.

REQUEST FOR QUOTATION

ARFQ 0608 DCR2500000118

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

5. ORDERING AND PAYMENT:

5.1 Ordering: Vendor shall accept orders through wvOASIS, regular mail, facsimile, e-mail, or any other written form of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.

5.2 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia.

6. DELIVERY AND RETURN:

6.1 Delivery Time: Vendor shall deliver standard orders within thirty (30) working days after orders are received. Vendor shall deliver emergency orders within seven (7) working day(s) after orders are received. Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met.

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the WV Division of Administrative Services.

6.3 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders if Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.

6.4 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the

REQUEST FOR QUOTATION

ARFQ 0608 DCR2500000118

**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive full credit or refund for the purchase price, at the Agency's discretion.

- 6.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

7. VENDOR DEFAULT:

- 7.1** The following shall be considered a vendor default under this Contract.

- 7.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
- 7.1.2** Failure to comply with other specifications and requirements contained herein.
- 7.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.
- 7.1.4** Failure to remedy deficient performance upon request.

REQUEST FOR QUOTATION
ARFQ 0608 DCR2500000118
**Four (4) Scotsman MC0530SA-1/HD30B-1 525 lb. Half Cube Ice Machine w/Ice Dispenser
- 180 lb. Storage, Bucket Fill, 115v or Equal**

7.2 The following remedies shall be available to Agency upon default.

7.2.1 Immediate cancellation of the Contract.

7.2.2 Immediate cancellation of one or more release orders issued under this Contract.

7.2.3 Any other remedies available in law or equity.

8. MISCELLANEOUS:

8.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

8.2 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

8.3 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager:	Michael Lackey
Telephone Number:	740-357-7375
Fax Number:	
Email Address:	govsales@redvestsupply.com



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
04/10/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Coverdash 286 5th Ave New York NY 10001		CONTACT NAME: Coverdash Agents PHONE (A/C, No. Ext): E-MAIL ADDRESS: agents@coverdash.com		FAX (A/C, No):
INSURED Red Vest Supply, LLC 604 Jett Street West Portsmouth OH 45663		INSURER(S) AFFORDING COVERAGE INSURER A: THE STANDARD FIRE INSURANCE COMPANY INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:		NAIC # 19070

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY ☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☒ POLICY ☐ PROJECT ☐ LOC ☐ OTHER	Y	Y	BIP-2Y472318- 25-42	2025- 04-08	2026- 04-08	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
	AUTOMOBILE LIABILITY ☐ ANY AUTO ☐ ALL OWNED AUTOS ☐ HIRED AUTOS ☐ SCHEDULED AUTOS ☐ NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	UMBRELLA LIAB ☐ OCCUR EXCESS LIAB ☐ CLAIMS-MADE ☐ DED ☐ RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) ☐ Y / N If yes, describe under DESCRIPTION OF OPERATIONS below	N / A					☐ PER STATUTE ☐ OTHER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

This certificate was generated automatically by the insured through the Coverdash self service portal.

CERTIFICATE HOLDER

West Virginia Correctional Industries 4319 Denmar Rd Hillsboro WV 24946		CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
---	--	--

© 1988-2010 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID: _____

LOC #: _____



ADDITIONAL REMARKS SCHEDULE

Page 2 of 2

AGENCY Coverdash		
POLICY NUMBER		
CARRIER	NAIC CODE	
		EFFECTIVE DATE:

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
 FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE