

STATE OF WEST VIRGINIA  
**PURCHASING AFFIDAVIT**

**CONSTRUCTION CONTRACTS:** Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

**ALL CONTRACTS:** Under W. Va. Code §15A-3-14, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: KOMAX, LLC.

Authorized Signature: *David Humphrey* Date: 04/25/2023

State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 25 day of April, 2023.


My Commission expires September 5, 2024.

**AFFIX SEAL HERE**

**NOTARY PUBLIC**

*Paul A. [Signature]*

*Purchasing Affidavit (Revised 03/09/2019)*



**ADDENDUM ACKNOWLEDGEMENT FORM**  
**SOLICITATION NO.: ARFQ DCR23\*176**

**Instructions:** Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

**Acknowledgment:** I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

**Addendum Numbers Received:**

(Check the box next to each addendum received)

<input checked="" type="checkbox"/> Addendum No. 1	<input type="checkbox"/> Addendum No. 6
<input checked="" type="checkbox"/> Addendum No. 2	<input type="checkbox"/> Addendum No. 7
<input checked="" type="checkbox"/> Addendum No. 3	<input type="checkbox"/> Addendum No. 8
<input type="checkbox"/> Addendum No. 4	<input type="checkbox"/> Addendum No. 9
<input type="checkbox"/> Addendum No. 5	<input type="checkbox"/> Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

KOMAX, LLC

\_\_\_\_\_  
Company

  
\_\_\_\_\_  
Authorized Signature

4/25/2023

\_\_\_\_\_  
Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.  
Revised 6/8/2012




**WIDTH**  
237.42 inches


**DEPTH**  
35.55 inches


**HEIGHT**  
49.33 inches



1 x NEMA L6 - 30R  5 x NEMA 5 - 15R 

 **COLOR**  
80 ppm (LTR)


 **B/W**  
80 ppm (LTR)

 **PAPER SIZE**  
13" x 19.2"

 **MAX PAPER CAPACITY (80g/m<sup>2</sup>)**  
8880

## OPTION LIST

Name	Item No.	Quantity	Name	Item No.	Quantity
Main Body	AC57011	1	Multi Bypass Tray - MB-508	AA01WY1	1
Auto Duplex Document Feeder - DF-713	AAMPWY1	1	Large Stacker - LS-507	AAPKWY1	1
Intelligent Media Sensor - IM-101	ACCXWY1	1	Mount Kit for 3rd Party Options - MK-737	A6H9WY2	1
Envelope Fusing Unit - EF-107	ACKHW11	1	Banner Output Kit - MK-761	ACR4WY1	1
HDD - UK-112	ACMHWY1	1	Relay Unit - RU-518m	A9CEWY2	1
AccurioPro ColorManager - EngineTune	ACYA011	1	Plockmatic SD-435 Booklet Maker - SD-435-Body	13207010	1
Paper Feed Unit - PF-707m	A55CWY3	1	Plockmatic Carepack SD-435 - 13200005	13200005	1
Large Capacity Unit - LU-202XLm	A8K4WY2	1	KM Image Controller - IC-609	ACME0Y1	1
Banner Input Kit - MK-760	ACR3WY1	1	APPE Upgrade Kit - UK-220	ACMJWY1	1
Feed Adjuster - FA-502	A69EWY1	1	MYRO-1 Spectrophotometer	ACJ1201	1




KONICA MINOLTA

AccurioPress  
C4080/C4070

# BUILD YOUR BRIDGE TO SUCCESS

RETHINK VERSATILITY



Giving Shape to Ideas

# HAVE IT ALL WITH ONE PRESS. RETHINK THE FUTURE OF DIGITAL PRINT

Imagine having just a single press that is good for everything: 2-sided banner printing, professional inline finishing, highest productivity, real-time automated quality adjustments, excellent print quality, and so much more. That's the AccurioPress C4080 series from Konica Minolta for you: our agile production color press with features that enable you to expand your business into new markets and develop new revenue streams.

## Exceptional quality, every print

Exclusive Intelligent Quality Optimizer IQ-501 leverages Konica Minolta's long history of brilliant imaging technology, allowing you to wow your customers with stunning consistent color prints time and time again.

## Grow your business

The AccurioPress C4080 series expands your business with new capabilities. Our system offers the biggest media variety in the market, from thin to thick paper, embossed paper, envelopes, and many more. All supported by our new optional media sensor to guarantee worry-free operation.

## A single engine does it all

The AccurioPress C4080 series is a fully configured press to expand your business as you wish. You can print flat sheets, duplex long sheets of up to 34", or directly finish prints inline with our extensive choice of finishing options to meet your clients' every need in one integrated production process.

## Boost efficiency

Operators of any AccurioPress system can count on simple setup, an ultra-reliable paper path, exceptional productivity, and outstanding automated image stability. Our R&D Team has given highest priority to fulfilling today's high demands in the printing industry. What's more, the AccurioPress system seamlessly integrates into various software applications from our portfolio that will make your business more economic.



# AUTOMATE FULL-BLEED OUTPUT WITH THE TU-510 INLINE TRIMMER

Experience fully finished output with the new TU-510 inline trimmer. This finisher provides inline slitting and trimming to output finished documents ready for boxing and shipping. The TU-510 has options for inline Creasing, Business Card and Postcard Cutting, and Perforation. Plus, the TU-510 has an option to deliver fully trimmed and creased long sheets of up to 51" to the output tray to realize a high-level integrated workflow.

## INCREASE OPPORTUNITIES FOR BUSINESS EXPANSION.

- Automate workflow to reduce labor costs and eliminate unnecessary touches
- Produce full-bleed output ready to box
- Automate common print jobs such as business cards, postcards, and sell sheets
- Maximize output by printing multi-up on larger sheets
- Integrate with other inline finishers to produce full-bleed saddle stitch, perfect bound, and wire bound output all in the time it takes to print
- Avoid toner cracking with the creasing option
- Produce perforated output inline in one easy step

## NOW FULL-BLEED OUTPUT IS FINALLY POSSIBLE.

This new finisher offers advanced automation to deliver fully trimmed, full-bleed brochures, flyers, postcards, business cards, and more directly to the output tray. This new trimmer creates sophisticated, professional documents ready for delivery to your customer in the time it takes to print them. This is the industry's first inline trimmer and is compatible with the new AccurioPress series of digital presses.





# INNOVATE PRINT RETHINK TECHNOLOGY

The innovative Intelligent Quality Optimizer IQ-501 takes consistency and registration accuracy to a new level. The IQ-501 provides extensive automation for image position and registration as well as color control. This is made possible with our proprietary closed-loop quality control system that checks and corrects printed output. Automation provided by the IQ-501 also extends to color calibration and profiling – all designed to reduce operator time and print wastage while increasing productivity.





# YOUR ADVANTAGES WITH THE AccurioPress C4080 / C4070

## RETHINK PRODUCTION PRINTING

### READY-MADE PRINT PRODUCTS

- 50-sheet booklet making with front trimming and optional creasing, slitting, and spine corner forming
- Perfect binding for books of up to 300 pages
- 100-sheet stapling with cutting mechanism
- Automated inline business card and postcard cutting
- Full bleed banners and posters
- Inline full-bleed trimming with options for creasing, perforation, business cards, and long sheets

### DURABLE PERFORMANCE

#### AccurioPress C4080


- Up to 80 8.5"x11" color pages per minute
- Up to 44 11"x17" color pages per minute

#### AccurioPress C4070

- Up to 70 8.5"x11" color pages per minute
- Up to 38 11"x17" color pages per minute

### SIMPLY EFFICIENT

- Automated engine linearization
- Automated duplex registration
- Automated profiling
- Real-time adjustments
- Purge function



## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Accurate front-to-back registration
- Fusing-rolling mechanism

## HIGH-END PRINT CONTROL

- Flexible choice of controller technology: EFI® or Konica Minolta controller
- Integration into hybrid workflows

## EASE OF USE

- Automated real-time engine calibration
- Simple paper catalog settings
- Open API/IWS support

## SOPHISTICATED MEDIA HANDLING

- Air suction or air-assisted paper feeding technology
- Up to 11 paper trays
- Long sheet printing of up to 51" (simplex), 34" (duplex)

## PERFECT IMAGE QUALITY

- S.E.A.D. X technology and 3,600 x 2,400 dpi x 8-bit resolution
- Simitri HDe toner technology
- Image density control technology

## COMPREHENSIVE MEDIA PROCESSING

- Up to 360gsm paper weight in simplex and duplex
- Optional media sensor senses paper weight and type
- Envelope printing with standard fuser



# SPECIFICATIONS AND OPTIONS

## RETHINK THE NEEDS

### SYSTEM SPECIFICATIONS

Resolution	3,600 x 2,400 dpi x 8 bit
Paper weight	62 – 360 g/m2
Paper sizes	330.2 x 487.7 mm 330.2 x 862 mm (max. duplex) 330.2 x 1300 mm (max. simplex)
Paper input	Max.: 15,390 sheets
Dimension (WxDxH)	31.49" x 35.55" x 42.36"
Unit weight	696.66 lb.

### PRODUCTIVITY

#### AccurioPress C4080

8.5 x 11 – max. per minute	80 ppm
11 x 17 – max. per minute	44 ppm

#### AccurioPress C4070

8.5 x 11 – max. per minute	70 ppm
11 x 17 – max. per minute	38 ppm

### KONICA MINOLTA IMAGE CONTROLLER IC-609

Architecture	Internal
OS	Linux
CPU	Intel Core i5 6500
Clock speed	3.2 GHz
RAM std	16 GB
HDD	2 TB (2 x 1TB)
Page-description language	Adobe PostScript 3; PDF v1.7; APPE v4.6 (with UK-220); TIFF (v6); PPML v2.2
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14

### FIERY IMAGE CONTROLLER IC-317

Architecture	External
OS	Windows 10
CPU	Intel® Core™ I5-6500 processor
Clock speed	3.2 GHz up to 3.6 GHz Turbo
RAM std	8 GB
HDD	1 TB
Page-description language	Adobe® PostScript® Levels 1, 2, 3, APPE 5, PDF/X-1a, 3, and 4, EPS, Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders), JPEG, 1-bit TIFF, TIFF (optional via Graphic Arts Pro Package), Fiery FreeForm™ Plus, PPML v3.0, PDF/VT 1 & 2, Creo VPS
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14

### FIERY IMAGE CONTROLLER IC-419

Architecture	Internal
OS	Linux
CPU	Intel® Pentium® Processor G4400
Clock speed	3.3 GHz
RAM std	8 GB
HDD	500 GB
Page-description language	Adobe® PostScript® Levels 1, 2, 3, APPE 5, Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders)
Applicable OS	Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14

### OPTIONS

KM Image Controller	IC-609
EFI external Controller	IC-317
EFI internal Controller	IC-419
Paper Feeding Unit	PF-602m
Dehumidifier heater	HT-504
Paper feeding unit	PF-707m
Dehumidifier heater	HT-506
PFU connection Kit	FA-502
Large capacity feeding unit	LU-202m
Dehumidifier heater f. LU	HT-503
Envelop printing guidf. LU	MK-746
Large capacity feeding unit (banner)	LU-202XLm
Multi bypass feeding	MB-508
Banner Paper Feeder kit	MK-760
Multi bypass tray	MB-509
Intelligent Media Sensor	IM-101
Output Tray	OT-511
Relay Unit	RU-518m
Humidifier	HM-103
Intelligent Quality Optimizer	IQ-501
Purge Unit	RU-702
Auto Inspection Unit	UK-301
Envelop Fusing Unit	EF-107
Long Sheet Kit (Output)	MK-761
Trimmer Unit	TU-510
Creasing kit (Downwards)	CR-102
Creasing kit (Upwards)	CR-103
Center Slit kit	TU-504
CD Perforation kit	PE-102
FD Perforation kit	PE-103
Banner paper kit	MK-764
Business Card kit	JS-507
Folding and Punching Unit	FD-503
Stacking Unit	LS-507
Handcart	LC-502
Booklet Making Unit	SD-506
Booklet Making Unit	SD-513
Square Folding Kit	FD-504
Slitter Kit	TU-503
Creaser Kit	CR-101
Perfect Binding Unit	PB-503
Stapling Unit	FS-532m
Saddle Stitcher Kit	SD-510
Punch Kit	PK-525
Post Inserter Kit	PI-502
Output Tray Unit	OT-512
Long Sheet Kit (Output)	MK-761

– All specifications refer to A4-size paper of 80 gsm quality.

– The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

– The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

– Some of the product illustrations contain optional accessories.

– Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

– Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.

– All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

# STATE-OF-THE-ART PRINT SERVERS

## RETHINK YOUR USER EXPERIENCE

### **THE IC-609 KONICA MINOLTA CONTROLLER**

The Konica Minolta IC-609 print controller brings powerful workflow benefits – including 2,400 dpi printing at full rated engine speed, high-speed RIP processing, enhanced accuracy in color reproduction, color management functions, and full compatibility with print engine on-board job control and editing functions.

### **THE IC-317 FIERY IMAGE CONTROLLER**

Providing advanced job management and workflow automation, the Fiery® IC-317 reduces labor costs, cuts turnaround times, and minimizes errors as well as waste. The instant visual preview and advanced make ready capabilities streamline job layouts. Support of industry-leading variable data printing (VDP) formats facilitates the profitable production of personalized short-run jobs.

### **THE IC-419 EMBEDDED FIERY IMAGE CONTROLLER**

As the embedded Fiery® controller alternative, the IC-419 offers a combination of affordability, versatile color management, and PCL support plus a wide range of security features. It helps improve the ease of use of AccurioPress systems, and simplifies workflows so that our digital color presses deliver truly professional print results, making any configuration an ideal business solution for your company's printing facilities.



# MADE FOR YOUR BUSINESS

## RETHINK WHAT'S POSSIBLE

### Commercial Printers

The AccurioPress C4080 series supports you in growing your business and getting the most out of your investment. Its high speed, high productivity, and high uptime help you achieve shortest turnaround times, while the great media flexibility with stocks of up to 360gsm, long sheets of up to 51", envelopes, and structured media will further enhance the variety of our print offerings. Color quality issues are a thing of the past as the AccurioPress C4080 includes numerous auto control and adjustment features. What's more, an inspection system can be applied to make sure only impeccable prints leave your shop.

### CRDs

The AccurioPress C4080 series provides the highest degree of automation and produces quality on the highest level. With its professional inline finishing, you can create ready-made products at the push of a button; and the Intelligent Quality Optimizer IQ-501 makes sure that the print quality is automatically set, monitored, and continuously corrected. The versatile media flexibility and high productivity make the AccurioPress C4080 series a solid and lucrative investment for the future.

# TAKE THE LEAD AND SHOW RESPONSIBILITY

## RETHINK TOMORROW'S BUSINESS

### Sustainability

Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies. In building your business, you can rely on Konica Minolta products to underpin your green strategy.

Committed to help prevent global warming, Konica Minolta strives to reduce CO<sub>2</sub> emissions during product manufacture, product distribution, at the sales stage, and during product use – with even stricter targets than demanded by the Kyoto Protocol.

Enabling carbon neutrality, Konica Minolta proposes to its customers the offset of unavoidable CO<sub>2</sub> emissions for production printing. Together with the experts from Climate Partner, we offer a new and profound concept for professional production devices.





## PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

### INFORMATION MANAGEMENT

- Enterprise Content Management (ECM)
- Document Management
- Automated Workflow Solutions
- Business Process Automation
- Security and Compliance
- Mobility
- eDiscovery Services

### IT SERVICES

- Application Services
- Cloud Services
- IT Security
- Managed IT Services
- IT Consulting & Projects
- Apple Managed Services
- Managed Voice Services
- Technology Implementation and Deployment

### TECHNOLOGY

- Office Multifunction Business Solutions
- Commercial and Production Printers
- Industrial Printers
- Wide Format Printers
- 3D Printers
- Scanners
- Security Surveillance Systems
- Laptops, Desktops and Computer Hardware
- Servers and Networking Equipment
- Managed Print Services (MPS)
- Managed Enterprise Services



Learn more at  
[ReThinkPrint.com](http://ReThinkPrint.com)

© 2020 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA and the KONICA MINOLTA logo are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



Item #: TU510Bro  
10/20-1

**EXHIBIT A – Pricing Page**  
**ARFQ 0608 DCR2300000176**  
**SAVIN ProC5310 Copier or Equal, Services, and Supplies**

Section	Description	Unit of Measure	Quantity	Unit Cost	Extended Cost
3.1.1	Contract Item #1 - Savin ProC5310Copier or Equal	Monthly	1	113917.00	\$ 113,917.00
3.1.2	Contract Item #2: Professional Services	Monthly	36	0.00	\$ -
3.1.3	Contract Item #3: Maintenance and Support	Monthly	36	0.00	\$ -
3.1.4	Contract Item #4: Unit Charge for Color	Monthly	36	0.039	\$ 1.4040
3.1.5	Contract Item #5: Unit Charge for Black and White	Monthly	36	0.0079	\$ 0.2844
3.1.6	Contract Item #6: Color Click Charges	Ea	1	0.039	\$ 0.039
3.1.7	Contract Item #7: Black and White Click Charges	Ea	1	0.01	\$ 0.0079
<b>Overall Total Cost</b>				<b>\$</b>	<b>113,918.74</b>

**Please note: This information is being captured for auditing purposes.**  
**Vendor must complete the Pricing Pages in their entirety as failure to do so will result in Vendor's bids being disqualified. A no bid entered on the Pricing Page will result in Vendor's bid being disqualified.**  
**Any product or service not on the Agency provided Pricing Pages will not be allowable. The state cannot accept alternate pricing pages, failure to use Exhibit A Pricing Pages could lead to disqualification of vendors bid.**  
**The Pricing Pages contain a list of the Contract Items and estimated purchase volume. The estimated purchase volume for each item**  
**Vendor should type or electronically enter the information into the Pricing Page to prevent errors in the evaluation.**

**BIDDER /VENDOR INFORMATION:**

Vendor Name:	
Address:	
City, St. Zip:	
Phone No.:	
Email Address:	

\_\_\_\_\_  
**Vendor Signature:**

\_\_\_\_\_  
**Date:**